

# **QNX<sup>®</sup> Software Development Platform**

---

*Welcome to the QNX Software Development  
Platform*

*For Windows<sup>®</sup>, Linux<sup>®</sup>, and QNX<sup>®</sup> Neutrino<sup>®</sup> hosts*

© 2004–2008, QNX Software Systems GmbH & Co. KG. All rights reserved.

Published under license by:

**QNX Software Systems International Corporation**

175 Terence Matthews Crescent

Kanata, Ontario

K2M 1W8

Canada

Voice: +1 613 591-0931

Fax: +1 613 591-3579

Email: [info@qnx.com](mailto:info@qnx.com)

Web: <http://www.qnx.com/>

Electronic edition published 2008.

QNX, Neutrino, Photon, Photon microGUI, Momentics, and Aviage are trademarks, registered in certain jurisdictions, of QNX Software Systems GmbH & Co. KG. and are used under license by QNX Software Systems International Corporation. All other trademarks belong to their respective owners.

<b>About This Guide</b>	<b>vii</b>
Welcome to the QNX Software Development Platform	ix
What's in this guide?	ix
Typographical conventions	x
Note to Windows users	xi
<b>1 What is QNX Momentics?</b>	<b>1</b>
Choice, tools, source, and help	3
QNX Momentics at a glance	3
Getting started <i>before</i> you have your target	4
x86 (PC) target	4
x86 non-BIOS target	5
Any supported CPU family	5
A word about licensing	6
<b>2 Getting Started</b>	<b>7</b>
Supported hosts	9
Installing and removing QNX SDP	9
What do I do if my installation fails?	9
What did I just install?	9
What's on my desktop?	12
Upgrading your software	13
Managing source code	13
Running QNX Neutrino self-hosted	14
Mixing a self-hosted machine with other hosts	14
Can different versions of QNX Momentics coexist?	14
Running QNX Neutrino on a target machine	14
<b>3 How to Get Help</b>	<b>17</b>
Overview of the documentation	19
QNX Software Development Platform	19
Integrated Development Environment	19
QNX Neutrino Realtime Operating System	19

Photon microGUI	20
BSPs, DDKs, and specialty tools	21
Dinkum C and C++	21
Viewing the documentation	21
Within the IDE	22
The Photon Helpviewer	22
Keyword indexes	23
What should I read first?	23
During development (on your host)	24
At runtime (on your target)	24
Where key features are documented	25
Related reading	31
On QNX Neutrino	31
On POSIX	31
On TCP/IP	31
Getting quick help with the <code>use</code> command	32
Hover help in the IDE	32
Visit <a href="http://www.qnx.com">http://www.qnx.com</a>	32
Support plans	32
Training	33
Custom engineering and consulting	33

## **Glossary 35**

## **Index 39**

## ***List of Figures***

---

QNX Momentics is the development environment on your host for the QNX Neutrino RTOS running on your target.	ix
The host-related directory structure.	10
The target-related directory structure.	11
Getting help in the IDE.	22
Photon Helpviewer.	23



## ***About This Guide***

---




# Welcome to the QNX Software Development Platform

Thank you for choosing the QNX Software Development Platform. It includes everything you need to build and maintain your QNX Neutrino-based embedded system:

- the QNX Momentics Tool Suite, a comprehensive set of integrated development tools, lots of in-depth documentation, as well as powerful diagnostics and optimization tools for your system once it's up and running on your target.
- QNX Neutrino RTOS

Board support packages (BSPs), driver development kits (DDKs), and QNX Aviage middleware packages are available separately; you can download them from our website, <http://www.qnx.com/>.

Trusted and proven in countless embedded systems, QNX Neutrino has a growing reputation as the world's most reliable RTOS. We now invite you to explore the advanced tools that the QNX Momentics Tool Suite adds to QNX Neutrino.



*QNX Momentics is the development environment on your host for the QNX Neutrino RTOS running on your target.*

## What's in this guide?

This guide is intended to introduce you to the QNX Momentics Tool Suite and help you start developing applications for QNX Neutrino. This guide is organized around these main topics:

- What is QNX Momentics?
- How do I install and set up my system?
  
- How do I get help?

The following table may help you quickly find information in this guide:

<b>To:</b>	<b>Go to:</b>
See a list of this product’s components	“QNX Momentics at a glance” in What is QNX Momentics?
Understand the license agreement	“A word about licensing” in What is QNX Momentics?
Use a virtual machine	“Getting started <i>before</i> you have your target” in What is QNX Momentics?
Install QNX Momentics on your host machine or remove it	“Installing and removing QNX Momentics” in Getting Started
Find out where components are installed on your host machine	“What did I just install?” in Getting Started
Upgrade your software	“Upgrading your software” in Getting Started
Run the QNX Neutrino RTOS on a target machine	“Running QNX Neutrino on a target machine” in Getting Started
Get started with the documentation	How to Get Help
Get technical support	How to Get Help
Find the meaning of terms used in QNX documentation	Glossary

## Typographical conventions

Throughout this manual, we use certain typographical conventions to distinguish technical terms. In general, the conventions we use conform to those found in IEEE POSIX publications. The following table summarizes our conventions:

<b>Reference</b>	<b>Example</b>
Code examples	<code>if( stream == NULL )</code>
Command options	<code>-lR</code>
Commands	<code>make</code>

*continued...*

Reference	Example
Environment variables	<b>PATH</b>
File and pathnames	<code>/dev/null</code>
Function names	<code>exit()</code>
Keyboard chords	Ctrl-Alt-Delete
Keyboard input	<code>something you type</code>
Keyboard keys	Enter
Program output	<code>login:</code>
Programming constants	NULL
Programming data types	<code>unsigned short</code>
Programming literals	<code>0xFF, "message string"</code>
Variable names	<code>stdin</code>
User-interface components	<b>Cancel</b>

We use an arrow (→) in directions for accessing menu items, like this:

You'll find the **Other...** menu item under **Perspective→Show View**.

We use notes, cautions, and warnings to highlight important messages:



Notes point out something important or useful.



**CAUTION:** Cautions tell you about commands or procedures that may have unwanted or undesirable side effects.



**WARNING:** Warnings tell you about commands or procedures that could be dangerous to your files, your hardware, or even yourself.

## Note to Windows users

In our documentation, we use a forward slash (/) as a delimiter in *all* pathnames, including those pointing to Windows files.

We also generally follow POSIX/UNIX filesystem conventions.



## Chapter 1

---

# What is QNX Momentics?

### *In this chapter...*

Choice, tools, source, and help	3
QNX Momentics at a glance	3
Getting started <i>before</i> you have your target	4
A word about licensing	6



## Choice, tools, source, and help

As a complete package designed for embedded systems developers, the QNX Momentics Tool Suite gives you everything you need at every stage of your product-development cycle:

Choice	Choice of host (Windows, Linux, QNX Neutrino), choice of target (ARM, PowerPC, SH-4, XScale, x86), and choice of development language (C, C++, Embedded C++, Java).
Tools	Code development, editors, source control, compilers, libraries, profilers, analyzers, optimizers, etc.
Help	Documentation, forums, technical support programs, etc.

Full source code for numerous startup programs, IPLs, device drivers, etc. is available from our website.

## QNX Momentics at a glance

If the QNX Neutrino RTOS is the “engine” that will empower the embedded system you’re developing, then QNX Momentics is the “factory” where you modify your engine as well as build, test, and finish your vehicles.

Here are the main parts of the QNX Momentics Tool Suite:

### Integrated Development Environment

This is your toolbox on Linux and Windows. The IDE’s task-oriented interface helps you quickly set up your project, choose your programming language, choose a target processor, compile your code, connect to your target, transfer your application to your target, run it, debug it, profile it, and fine-tune it.

### Command-line tools

If you aren’t using the IDE, you can use command-line tools to develop applications. For example, you can use `gcc` to compile and link, and `mkifs` to create an OS image.

### Libraries

ANSI C, POSIX, Dinkum C++ (full and embedded), GNU C++ (x86 only), graphics, widgets, compression, etc.

### Documentation

How-to guides, references, context-sensitive help, and technotes. See the chapter How to Get Help to help you find your way through the documentation.

If you’ve installed the QNX Software Development Platform, you can download these components from our website after logging into your myQNX account:

### Board Support Packages

Software and step-by-step instructions to help you get Neutrino and your applications running on specific evaluation boards.

### Driver Development Kits

Full source and detailed documentation to help you write your own drivers for various devices: audio, graphics, input (mice, keyboards, etc.), network, and USB.

Note that the QNX Software Development Platform includes the DDK documentation.

You can also get QNX Aviage middleware packages that augment the QNX Neutrino OS with specialized, value-added technologies. These packages currently include:

- Acoustic Processing
- Advanced Graphics
- Multimedia

For more information about these components, contact your sales representative.

## Getting started *before* you have your target

Assuming you plan to develop a Neutrino-based embedded system of some kind (e.g. a vehicle telematics system, a router, a medical imaging device), you can start developing your application, even before you have your target hardware.

And if you haven't yet decided on the CPU family for your target (e.g. PowerPC, XScale), you can still begin developing your application. As a rule, with QNX Momentics you write your application code once, then compile it however many times you need for whatever supported targets you're using. As you'll see if you plan to use the IDE, you can build the very same project for any of our supported processors with just a couple of mouse clicks.

If you're developing on a self-hosted Neutrino system, you can run your application directly on your development machine.

Consider the following scenarios:

### x86 (PC) target

If your final target hardware will be a PC in some shape or form (e.g. a PC/104 SBC module), you can simply connect your host to any spare PC and use that as your temporary target. You should expect to make very few changes (if any) in your application when the time comes to move to your final target.

And if you don't happen to have a spare PC, you could use a *virtual machine* — products such as Workstation by VMware (<http://www.vmware.com>) can emulate a separate, complete hardware environment right on your desktop.

Once you've set up a virtual machine (VM) on your host, you can then use it as your target — you can run, test, and debug your Neutrino applications on the VM as if it were an actual machine connected to your host.



---

Virtual machines don't necessarily support hard realtime.

---

## x86 non-BIOS target

In this case, the target computer (e.g. an LX800) isn't a PC. It doesn't have a BIOS, so it won't boot and load Neutrino in the same way as a PC. In order to run Neutrino on such a target, you need an appropriate BSP for your particular hardware, including an IPL that could set up the processor and load Neutrino properly.



---

We're continually adding new BSPs to our extensive selection; for a list, see the Products area of our website, <http://www.qnx.com>. If you don't see a BSP for your target hardware, contact us.

---

You can develop your application without target hardware, because much of your code will be hardware-independent. For device drivers and other hardware-specific areas of your system, you may be able to use a virtual platform tool that accurately emulates your specific embedded system hardware.

For instance, Virtio (<http://www.virtio.com>) makes virtual platforms that emulate various processors and peripherals, right down to the CPU's instruction set. You can download a free time-limited evaluation copy from the vendor's website.

## Any supported CPU family

Whatever your target hardware, you can still go a long way down your development path using QNX Momentics right now. Develop all your application-level components first, leaving device drivers and other hardware-specific details until you have your target hardware.

As mentioned earlier, you might want to consider Virtio if you need a functionally accurate virtual prototype of your embedded platform before you have the actual hardware itself.

## Platform-related issues

Whatever the specific CPU family, your application code will, in most cases, run unchanged when you go to your final target. But you may need to be aware of a few platform-related issues (e.g. endian differences, CPU speeds, I/O addressing, alignment of data structures, memory limitations, synchronization on multicore vs uniprocessor systems, etc.).

Fortunately, QNX Momentics includes several header files and convenience functions that will help you anticipate and easily handle such problems.



---

For more information on these and other platform-related issues, see Freedom from Hardware and Platform Dependencies in the Neutrino *Programmer's Guide*.

---

## A word about licensing

Here are some general questions about licensing. For more information, visit the **Licensing** area of <http://www.qnx.com>, where you'll find details on our licensing model, types of licenses, etc., or email [licensing@qnx.com](mailto:licensing@qnx.com).

*Where can I find my EULA?*

You'll find your Momentics End User License Agreement and the full license guides on your CD and also in the Licensing area of our website, <http://www.qnx.com>

Once you've installed the QNX Software Development Platform, you can find the license agreements in `base_dir/install/qnxsdp/6.4.0`, where `base_dir` is where you installed SDP (see the output from the `qconfig` command).

*I've installed the QNX Software Development Platform on my workstation. Can I also make a copy for my laptop?*

Certainly. Our licensing policy is per *seat* (i.e. per person), not per machine. You may use QNX SDP on your primary workstation as well as on a laptop or on a PC at your home, provided that you use only one system at any given time.

*Can I get a Neutrino runtime system?*

You can purchase the QNX Neutrino x86 Runtime Kit, which includes runtime binaries and data, but no development tools or source; for more information, please contact your QNX sales representative.

*As an OEM, how do I get a runtime license?*

To obtain a runtime license (which governs how you may distribute certain Neutrino runtime files as part of your product), please contact your QNX sales representative.

## Chapter 2

---

# Getting Started

### *In this chapter...*

Supported hosts	9
Installing and removing QNX SDP	9
What do I do if my installation fails?	9
What did I just install?	9
What's on my desktop?	12
Upgrading your software	13
Managing source code	13
Running QNX Neutrino self-hosted	14
Mixing a self-hosted machine with other hosts	14
Can different versions of QNX Momentics coexist?	14
Running QNX Neutrino on a target machine	14



## Supported hosts

To install and use QNX Momentics, you'll need a desktop machine running one of the following for your host development environment:

- Windows Vista, XP, or 2000
- Linux Red Hat Enterprise WS 4 or 5, Red Hat Fedora Core 6 or 7, SUSE 10, or Ubuntu 6.0.6 LTS or 7.0.4
- QNX Neutrino 6.3

For particular system requirements (e.g. amount of disk space you'll need to install), see the installation note that came with your software.

## Installing and removing QNX SDP

The QNX Software Development Platform uses InstallShield on all hosts except Neutrino (which uses tarballs and shell scripts) to help you install and remove software. For specific instructions, see the installation note that was shipped with your software.

## What do I do if my installation fails?

If for some reason (e.g. hardware incompatibility) the QNX SDP doesn't install properly, you should:


- 1 Review the requirements and instructions given in the installation note that was shipped with your software.
- 2 If you can access the Internet, check the lists of supported hardware posted on our website (<http://www.qnx.com>).
- 3 Check the troubleshooting sections in the *Neutrino User's Guide*.
- 4 Contact us for help, or post questions in one of our forums. For more information, see the How to Get Help chapter.

## What did I just install?

The QNX Momentics Tool Suite is organized around these two main areas:


Host-related	All your libraries, executables, etc., designed to run on your host system (e.g. Windows).
Target-related	All CPU-specific components, as well as certain common things that you can use on any target system.

The **QNX\_HOST** environment variable identifies the directory that holds the host-related components:



*The host-related directory structure.*

The **QNX\_TARGET** environment variable identifies the directory that holds the target-related components:



*The target-related directory structure.*

Neutrino also uses these environment variables to locate files on the host machine:

### **QNX\_CONFIGURATION**

The location of the configuration files and licenses for QNX Momentics.

**MAKEFLAGS** The location of included `*.mk` files.

Here's where some of the key components are installed:

Component	Location
Buildfiles	<code>\$QNX_TARGET/platform/boot/build/boardname.build</code>
Command-line utilities	For the host: <code>\$QNX_HOST/usr/bin</code> and <code>\$QNX_HOST/platform/bin</code>  For the target: <code>\$QNX_TARGET/bin</code> and <code>\$QNX_TARGET/platform/bin</code> and <code>\$QNX_TARGET/platform/sbin</code>
Device drivers (binaries)	<code>\$QNX_TARGET/platform/sbin</code>
Device drivers (DLLs)	<code>\$QNX_TARGET/platform/lib/dll</code>
Filesystems	<code>\$QNX_TARGET/platform/sbin</code>
GUI-related	<code>\$QNX_TARGET/usr/photon</code>
Shared libraries	<code>\$QNX_TARGET/platform/lib</code>
System header files	<code>\$QNX_TARGET/usr/include</code>
Documentation	Eclipse plugin directory, also in <code>\$QNX_TARGET/usr/help/product</code> on self-hosted Neutrino systems

If you install any BSPs or DDKs, they're installed under `#{QNX_TARGET}`, or in a directory of your choosing. The IDE creates a *workspace*, a directory that holds your development projects. By default, this workspace is in your home directory on Linux, and in `C:\QNX640` on Windows.

For information about the directory structure on a Neutrino runtime system, see "Where everything is stored" in the Working with Files chapter of the Neutrino *User's Guide*.

## What's on my desktop?

How you access the components of QNX Momentics depends on your host machine:

Windows You can start the IDE by clicking its icon on the desktop:



QNX Momentics  
IDE 4.5

or by choosing **Start→QNX Momentics IDE**. The **Start→All Programs→QNX Software Development Platform 6.4.0** menu lets you add or activate licenses, configure your machine to build for a specific version of QNX Neutrino, run Phindows, and start the IDE.

Linux The **Start→Programming** menu lets you add or activate licenses, and start the IDE.

Neutrino      The **Launch**→**Configure** menu lets you add and activate licenses. The Help item in the Launch menu and on the shelf starts the Helpviewer, where you'll find the documentation.

## Upgrading your software

Here's the general procedure for updating a version of the QNX Software Development Platform or other components you've purchased:

- 1      Go to the QNX Software Systems website (<http://www.qnx.com>) and log into your myQNX account. If you don't already have a myQNX account, please register now.
- 2      Follow the instructions for registering your product. You'll need the Product Registration serial number and password, which you'll find on the box that contains the installation disks.

For more information about setting up your myQNX account, see *On-line Technical Support*. There's a printed copy in the QNX Software Development Platform box, and a PDF version on the DVD and on our website.

- 3      Go to the Download area.
- 4      Select the product (e.g. "QNX Software Development Platform 6.4.0") or search by keywords.




---

In the next step, you'll download a file. Don't download it into a directory whose path contains spaces. For example, don't download the file into `C:\Documents and Settings\my_userid\Desktop`.

---

- 5      Download the appropriate file and follow the instructions.

If you installed an evaluation copy of the QNX Software Development Platform, you can upgrade to a permanent copy without reinstalling. For more information, see the *Installation Guide*.

## Managing source code

You'll probably want to use some sort of version-control system to manage and track changes to the software that you develop.

---

### For information about:

### See:

CVS (Concurrent Versions System)      Using CVS in the Neutrino *User's Guide*, and Managing Source Code in the IDE *User's Guide*.

*continued...*

**For information about:****See:**

Subversion (svn)

Collins-Sussman, Ben, Fitzpatrick, Brian W., Pilato, C. Michael.  
2004. *Version Control with Subversion*. Sebastopol, CA: O'Reilly &  
Associates. ISBN: 9780596004484

QNX Momentics includes clients for both CVS and Subversion.

## Running QNX Neutrino self-hosted

You can develop software on a self-hosted QNX Neutrino system. For more information on working with Neutrino, see the *Neutrino User's Guide*; for information on developing software on Neutrino, see the *Neutrino Programmer's Guide* and the *IDE User's Guide*.

## Mixing a self-hosted machine with other hosts

If you have a Neutrino host, you can communicate with other hosts in various ways:

- You can access resources — such as files, directories, and processes — on other Neutrino machines as if the resources were on your own computer; see *Using Qnet for Transparent Distributed Processing* in the *Neutrino User's Guide*.
- You can use TCP/IP; see *TCP/IP Networking* in the *Neutrino User's Guide*.
- You can mount DOS and Linux filesystems right on your Neutrino box, or use CIFS or NFS to mount filesystems across a network; see *Working with Filesystems* in the *Neutrino User's Guide*.

## Can different versions of QNX Momentics coexist?

You can install different versions of QNX Momentics on your machine. You can use the IDE or the `qconfig` utility to set up your environment to build for the correct version. On Windows hosts, use `QWinCfg`, a graphical front end for `qconfig` that you can launch from the Start menu.



---

Coexistence of 6.3.x and 6.2.1 is supported only on Windows hosts.

---

For more information, see the *Compiling and Debugging* chapter of the *Neutrino Programmer's Guide* and the *IDE Concepts* chapter of the *IDE User's Guide*.

## Running QNX Neutrino on a target machine

Neutrino is well suited to embedded systems. For information about creating OS images, downloading them to your target hardware, and running your software, see:

- the BSP documentation for your particular target (in the IDE's help system, or in the Photon Helpviewer on Neutrino)

- *Building Embedded Systems*
- *IDE User's Guide*

You don't always need to have the hardware to run your software; for more information, see "Getting started *before* you have your target" in the What is QNX Momentics? chapter in this guide.



### *In this chapter...*

Overview of the documentation	19
Viewing the documentation	21
What should I read first?	23
Where key features are documented	25
Related reading	31
Getting quick help with the <code>use</code> command	32
Hover help in the IDE	32
Visit <a href="http://www.qnx.com">http://www.qnx.com</a>	32
Support plans	32
Training	33
Custom engineering and consulting	33



The first place to look for help is in our documentation, but if you still have problems, there are several other avenues of help.

## Overview of the documentation

In the QNX Software Development Platform, the online documents are in HTML, which you can access in the IDE's help system. On self-hosted QNX Neutrino systems, you can also look at the documentation in the Photon helpviewer.

For the latest documentation, or to download PDF versions, visit our website, <http://www.qnx.com>. Printed books are also available.

To help you find your way around the QNX SDP documentation set, we've provided a documentation roadmap.

While the roadmap works best online because of all its links, here's a hardcopy version that can still help you know where to look for information.

The complete QNX SDP documentation set contains the following books, arranged here under each main component:

### QNX Software Development Platform

#### *Quickstart Guide: 10 Steps to Your First QNX Program*

A tutorial that helps you install QNX Momentics on a host machine, install the QNX Neutrino RTOS on a target machine, set up communications between the two systems, and then use the IDE to develop a program on the host machine and run it on the target.

### Integrated Development Environment

*IDE User's Guide* Describes the QNX Momentics Integrated Development Environment, how to set up and start using the tools to build Neutrino-based target systems, etc.

### QNX Neutrino Realtime Operating System

*System Architecture* Describes the concepts and architecture of the QNX Neutrino microkernel, resource managers, processes, threads, message-passing services, and more.

#### *QNX Neutrino User's Guide*

Explains how to interact with a running Neutrino system. Covers both Photon and text-mode interfaces, as well as various system-administration topics.

#### *Getting Started with QNX Neutrino: A Guide for Realtime Programmers*

This book, by Rob Krten, will help you design and develop robust realtime systems — from tiny embedded control

applications to large network-distributed systems — using the QNX Neutrino RTOS.

#### *QNX Neutrino Programmer's Guide*

Tells you how to get started writing programs, including interrupt handlers, resource managers, etc.

#### *Building Embedded Systems*

Tells you how to get the OS running on your target embedded system, write an IPL, customize a startup program, etc.

#### *Utilities Reference*

Describes the Neutrino configuration files, utilities, and manager processes you'll use during development and at runtime.

#### *QNX Neutrino Library Reference*

Describes the C library data types and functions, including POSIX threads, kernel calls, resource manager functions, etc.

#### *Technical Notes*

Deals with a series of topics (e.g. IP tunneling) that aren't covered in the basic documentation set.

## Photon microGUI

#### *Photon Programmer's Guide*

Gives you a hands-on tour of the Photon Application Builder (PhAB). You'll learn how to quickly assemble a GUI from predefined widgets, link the GUI to an application, and generate C source to bring the GUI to life.

#### *Photon Library Reference*

Provides concise descriptions of Photon's and PhAB's global data structures and functions.

#### *Widget Reference*

Contains guidelines for programming widgets, along with concise descriptions of all global data structures, resources, and convenience functions associated with widgets. It also gives you practical examples of how to use Photon widgets and widget functions.

#### *Building Custom Widgets*

Explains how to create a custom widget and how to bind it into PhAB. If you need a widget whose features extend the standard capabilities of the Photon widget library, this guide is for you.

## BSPs, DDKs, and specialty tools

**BSP guides** Describe how to get Neutrino running on your target board. You'll find a separate guide for each BSP that you've installed. We support boards in these processor families: ARM/XScale, PowerPC, SH-4, and x86. You can download BSPs from our website, <http://www.qnx.com/>. The Download area arranges the BSP by platform.

**DDK guides** Describe how to write drivers for QNX Neutrino. You'll find a separate DDK guide for audio, character, graphics, input, and Universal Serial Bus (USB) devices. You can download the DDKs from our website, but the QNX Software Development Platform includes the documentation.

### *System Analysis Toolkit User's Guide*

Describes how to use the SAT with our instrumented microkernel. You can log every communication and state change within the microkernel, including interrupts, all parameters/return values from kernel calls, and scheduling decisions, resulting in a deeper and more detailed analysis of system elements. You can even perform kernel-level diagnostics remotely.

### *Photon Multilingual Input*

Tells you how to input Chinese, Japanese, and Korean characters in Photon.

### *Phindows Connectivity*

Tells you how to access Photon from a Windows machine.

## Dinkum C and C++

### *Dinkum C++ Library*

A conforming implementation of the Standard C++ library.

### *Dinkum C99 Library*

A conforming implementation of the Standard C library, as revised in 1999.


### *Dinkum EC++ Library*

A conforming implementation of the Embedded C++ library as specified by the Embedded C++ Technical Committee.

## Viewing the documentation

## Within the IDE

Click **Help**→**Help Contents**. There you'll find several booksets listed, including *A Roadmap to the QNX Software Development Platform*. The other documents listed, such as the *Workbench User Guide* and *JDT Plug-in Developer Guide*, pertain to the Eclipse platform and its various plugins.




*Getting help in the IDE.*

Note that the IDE's internal help system has a builtin search facility. For details, see "Using the QNX Help system" in the Getting Started chapter of the *IDE User's Guide*.

## The Photon Helpviewer

If you're using Neutrino self-hosted, you can access the documentation via our native Helpviewer.



*Photon Helpviewer.*

To open the Helpviewer, click the **Help** button in the Applications group on the shelf or select **Help** from the right-click menu on the desktop.

For more information, see “Getting help with the Helpviewer” in the Using the Photon microGUI chapter of the *Neutrino User’s Guide*, as well as the entry for `helpviewer` in the *Utilities Reference*.

## Keyword indexes

Nearly every book in the QNX documentation set has its own keyword index. At the top and bottom of the online documents, you’ll find a link to the keyword index file (`keywords-all.html`).

## What should I read first?

Many people simply don’t read manuals cover to cover. They often browse or search the documentation for a specific topic, usually for information on how to do a certain task. But if you want to approach your tasks with enough knowledge to work effectively, it’s a good idea to start with the *System Architecture* guide; it will help you understand Neutrino’s unique features, particularly its message-based interprocess communication (IPC) and microkernel architecture.

Once you know how Neutrino works, you'll then want to know how to work with it; our *Quickstart Guide: 10 Steps to Your First QNX Program* is a short tutorial that will get you started in a matter of minutes. Which document you'll need next depends on when you need it.

## During development (on your host)

Most of the documents in the bookset are geared towards developing your Neutrino-based applications. Of these development books, some are how-to guides, and some are reference works.



Some books are useful during development as well as at runtime. For instance, the *Utilities Reference* is a comprehensive document that includes descriptions of both development utilities (e.g. `make`), which you wouldn't normally use on your target, as well as runtime programs (e.g. `devc-sersci`), which you would run only on your target.

Here are the main how-to guides and their corresponding reference books:

How-to guide:	Companion reference:
<i>IDE User's Guide</i>	<i>Utilities Reference</i> (for underlying command-line utilities, such as <code>make</code> ); <i>QNX Neutrino Library Reference</i> for API
<i>QNX Neutrino User's Guide</i>	<i>Utilities Reference</i>
<i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> , <i>QNX Neutrino Programmer's Guide</i>	<i>QNX Neutrino Library Reference</i>
<i>Photon Programmer's Guide</i>	<i>Photon Library Reference</i> ; <i>Photon Widget Reference</i>
<i>Building Embedded Systems</i>	<i>Utilities Reference</i> ; <i>QNX Neutrino Library Reference</i>

## At runtime (on your target)

The most runtime-oriented document in your bookset is the *QNX Neutrino User's Guide*, which describes how to use and interact with a running Neutrino system. The book covers both Photon and text-mode interfaces, as well as various system-administration topics.

Other runtime-oriented documents include the *Utilities Reference* and the *IDE User's Guide* (for information on diagnostic tools you'd use on a running system).

## Where key features are documented

The following list may help you learn which document to look in when you want information on certain key features or components of the OS and tools.




---

See the *System Architecture* guide for information on almost every topic in this list.

---

Adaptive partitioning    *Adaptive Partitioning User's Guide*

Asymmetric multiprocessing (AMP)

Multicore Processing in the *System Architecture* guide

Audio support    *Audio Developer's Guide* (for writing audio applications); *Audio DDK* (for writing audio device drivers); `io-audio` manager and the `deva-*` drivers in the *Utilities Reference*.

Bound multiprocessing (BMP)

Multicore Processing in the *System Architecture* guide; the *Multicore Processing User's Guide*; `procnto*` in the *Utilities Reference*.

BSPs

Each BSP that you install includes documentation; see the BSP's installation and release notes.

Buildfiles

Making an OS Image in *Building Embedded Systems*; `mkifs` in the *Utilities Reference*.

CD-ROM

Working with Filesystems in the *QNX Neutrino User's Guide*; `cam-cdrom.so` in the *Utilities Reference*.

Channels

*Channel\**, *Msg\**, and *Connect\** functions in the *QNX Neutrino Library Reference*; Message Passing in *Getting Started with QNX Neutrino: A Guide for Realtime Programmers*; Writing a Resource Manager in the *QNX Neutrino Programmer's Guide*.

Compiling

Developing C/C++ Programs in the *IDE User's Guide*; Compiling and Debugging in the *QNX Neutrino Programmer's Guide*; `make` and `qcc` in the *Utilities Reference*.

Compression

Making an OS Image in *Building Embedded Systems*; `deflate` in the *Utilities Reference*.

CPU time, sharing among competing processes

*Adaptive Partitioning User's Guide*

Data server

Setting Up an Embedded Web Server in the *QNX Neutrino User's Guide*; `ds` in the *Utilities Reference*.

DDKs	Driver Development Kits (DDKs). The QNX Software Development Platform includes the documentation, but if you want the DDKs, you must download them from our website.
Debugger	Debugging Programs in the <i>IDE User's Guide</i> ; Compiling and Debugging in the <i>QNX Neutrino Programmer's Guide</i> ; <b>gdb</b> and other debugging utilities in the <i>Utilities Reference</i> .
Device management	<i>devctl()</i> in the <i>QNX Neutrino Library Reference</i> ; Resource Managers in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Writing a Resource Manager in the <i>QNX Neutrino Programmer's Guide</i> ; <b>dev*</b> drivers in the <i>Utilities Reference</i> .
Editors	IDE Concepts in the <i>IDE User's Guide</i> ; Using Editors in the <i>QNX Neutrino User's Guide</i> ; <b>elvis</b> , <b>ped</b> , <b>qed</b> , <b>sed</b> , and <b>vi</b> in the <i>Utilities Reference</i> .
Embedded systems	<i>Building Embedded Systems</i> .
Endian issues	Freedom from Hardware and Platform Dependencies in the <i>QNX Neutrino Programmer's Guide</i> .
Environment, configuring	Controlling How Neutrino Starts and Configuring Your Environment chapters in the <i>QNX Neutrino User's Guide</i> .
Environment variables	Commonly Used Environment Variables appendix in the <i>Utilities Reference</i> ; <i>environ()</i> in the <i>QNX Neutrino Library Reference</i> ; Using the Photon microGUI and Configuring Your Environment chapters in the <i>QNX Neutrino User's Guide</i> .
Event handling (OS)	<i>MsgDeliverEvent()</i> in the <i>QNX Neutrino Library Reference</i> ; Message Passing in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Writing an Interrupt Handler in the <i>QNX Neutrino Programmer's Guide</i> .
Event handling (Photon)	Events in the <i>Photon Programmer's Guide</i> ; <b>phrelay</b> in the <i>Utilities Reference</i> .
File handling	<i>creat()</i> and related functions via its "See also" section in the <i>QNX Neutrino Library Reference</i> ; <b>basename</b> , <b>cat</b> , etc. in the <i>Utilities Reference</i> .
Filesystems	Working with Filesystems in the <i>QNX Neutrino User's Guide</i> .
Fonts	Fonts chapter and Photon in Embedded Systems appendix in the <i>Photon Programmer's Guide</i> .

Graphics	<i>Graphics DDK</i> ; <b>devg-*</b> drivers in the <i>Utilities Reference</i> .
Hardware	Connecting Hardware in the <i>QNX Neutrino User's Guide</i> .
HID (human input devices)	<b>hidview</b> and <b>devh-*</b> drivers in the <i>Utilities Reference</i> .
Helpviewer (Photon)	Using the Photon microGUI in the <i>QNX Neutrino User's Guide</i> ; <b>helpviewer</b> in the <i>Utilities Reference</i> .
I/O management	<i>iofunc*</i> , <i>Interrupt*</i> , and <i>open()</i> and related functions via <i>open()</i> 's "See also" section in the <i>QNX Neutrino Library Reference</i> ; Resource Managers in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Writing a Resource Manager in the <i>QNX Neutrino Programmer's Guide</i> .
IPC (interprocess communication)	<i>pthread_mutex*</i> , <i>SyncMutex*</i> , <i>sem_*</i> , <i>SyncSem*</i> , <i>pthread_cond*</i> , and <i>SyncCondvar*</i> in the <i>QNX Neutrino Library Reference</i> . See also "Message Passing," below.
IPL (Initial Program Loader)	Writing an IPL Program in <i>Building Embedded Systems</i> .
Images (OS)	Making an OS Image in <i>Building Embedded Systems</i> ; <b>mkifs</b> in the <i>Utilities Reference</i> .
Images (graphical)	Raw Drawing and Animation in the <i>Photon Programmer's Guide</i> .
Input	<i>Input DDK</i> ; <b>devh-*</b> and <b>devi-*</b> drivers in the <i>Utilities Reference</i> .
Instrumented kernel	<i>System Analysis Toolkit User's Guide</i> .
Interrupt handling	<i>InterruptAttach()</i> and related functions in its "See also" section in the <i>QNX Neutrino Library Reference</i> ; Interrupts in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Writing an Interrupt Handler in the <i>QNX Neutrino Programmer's Guide</i> .
Kernel calls	<i>Channel*</i> , <i>Clock*</i> , <i>Connect*</i> , <i>Debug*</i> , <i>Interrupt*</i> , <i>Msg*</i> , <i>Sched*</i> , <i>Signal*</i> , <i>Sync*</i> , <i>Thread*</i> , <i>Timer*</i> , and <i>TraceEvent()</i> in the <i>QNX Neutrino Library Reference</i> .
Keyboard support	Using the Command Line in the <i>QNX Neutrino User's Guide</i> ; <b>mkkbd</b> and related utilities in its "See also" section in the <i>Utilities Reference</i> .

Libraries	Compiling and Debugging in the QNX Neutrino <i>Programmer's Guide</i> ; Building OS and Flash Images in the <i>IDE User's Guide</i> .
Linker	Compiling and Debugging in the QNX Neutrino <i>Programmer's Guide</i> ; <b>gcc</b> and related utilities in its “See also” section in the <i>Utilities Reference</i> .
<b>Makefile</b> structure	Developing C/C++ Programs in the <i>IDE User's Guide</i> ; Conventions for Makefiles and Directories in the QNX Neutrino <i>Programmer's Guide</i> .
Memory management	<i>mem*</i> , <i>mmap*</i> , <i>posix_mem*</i> , and <i>malloc()</i> in the QNX Neutrino <i>Library Reference</i> ; Heap Analysis: Making Memory Errors a Thing of the Past in the QNX Neutrino <i>Programmer's Guide</i> ; Finding Memory Errors in the <i>IDE User's Guide</i> .
Message passing	<i>Msg*</i> , <i>Connect*</i> , and <i>Channel*</i> in QNX Neutrino <i>Library Reference</i> . See also “IPC,” above.
Message queues	<i>mq_*</i> functions in the QNX Neutrino <i>Library Reference</i> ; <b>mqqueue</b> and <b>mq</b> in the <i>Utilities Reference</i> .
Multicore systems	Multicore Processing in the <i>System Architecture</i> guide; the <i>Multicore Processing User's Guide</i> ; <b>procnto*</b> in the <i>Utilities Reference</i> .
Native networking (Qnet)	See “Transparent distributed processing,” below.
Network drivers	<b>io-pkt*</b> , <b>devn-*</b> , <b>devnp-*</b> drivers in the <i>Utilities Reference</i> ; QNX Neutrino Core Networking <i>User's Guide</i>
Permissions (on files, directories)	Managing User Accounts and Working with Files chapters in the QNX Neutrino <i>User's Guide</i> ; <i>chmod()</i> , <i>stat()</i> , and <i>umask()</i> in the QNX Neutrino <i>Library Reference</i> ; <b>chmod</b> in the <i>Utilities Reference</i> .
Process manager	<b>procnto*</b> in <i>Utilities Reference</i> ; <i>procmgr_*</i> in the QNX Neutrino <i>Library Reference</i> .
Processes	Processes and Threads in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Processes in the QNX Neutrino <i>Programmer's Guide</i> ; <i>exec*</i> , <i>fork*</i> , and <i>spawn*</i> in the QNX Neutrino <i>Library Reference</i> .
Profiler (application)	Profiling an Application in the <i>IDE User's Guide</i> .

Profiler (system)	Analyzing Your System with Kernel Tracing in the <i>IDE User's Guide</i> .
Pulses	<i>MsgSendPulse()</i> , <i>MsgReceivePulse()</i> , and <i>pulse_*</i> in the QNX Neutrino <i>Library Reference</i> ; Message Passing in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; “Handling private messages and pulses” in the chapter on writing resource managers in the QNX Neutrino <i>Programmer's Guide</i> .
QoS (Quality of Service)	“Quality of Service and multiple paths” in the Native Networking (Qnet) chapter in <i>System Architecture</i> ; <i>netmgr_ndtostr()</i> in the QNX Neutrino <i>Library Reference</i> .
RAM disk	<b>io-blk.so</b> (using the <b>ramdisk=size</b> option), <b>devb-ram</b> , and <b>devf-ram</b> in the <i>Utilities Reference</i> .
Realtime scheduling	<i>Sched*</i> functions and <b>sched_param</b> structure in the QNX Neutrino <i>Library Reference</i> .
Resource management	Resource Managers in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Writing a Resource Manager in the QNX Neutrino <i>Programmer's Guide</i> ; <i>resmgr_*</i> and <i>iofunc_*</i> in the QNX Neutrino <i>Library Reference</i> .
Resources, sharing among competing processes	Adaptive Partitioning <i>User's Guide</i>
Symmetric multiprocessing (SMP)	Multicore Processing in the <i>System Architecture</i> guide; the Multicore Processing <i>User's Guide</i> ; <b>procnto*</b> in the <i>Utilities Reference</i> .
Self-hosted development	Compiling and Debugging in the QNX Neutrino <i>Programmer's Guide</i> .
Signal handling	<i>sigaction()</i> and related functions via its “See also” section in the QNX Neutrino <i>Library Reference</i> .
Startup programs	Customizing Image Startup Programs in <i>Building Embedded Systems</i> ; <b>startup-*</b> in the <i>Utilities Reference</i> .
Synchronization	<i>Sync*</i> functions in the QNX Neutrino <i>Library Reference</i> .

System information	<b>pidin</b> and <b>sin</b> in the <i>Utilities Reference</i> ; Analyzing Your System with Kernel Tracing in the <i>IDE User's Guide</i> ; Fine-Tuning Your System in the <i>QNX Neutrino User's Guide</i> .
Target agent ( <b>qconn</b> )	<b>qconn</b> in the <i>Utilities Reference</i> ; IDE Concepts in the <i>IDE User's Guide</i> .
Threads	<i>pthread_*</i> and <i>Thread*</i> in the <i>QNX Neutrino Library Reference</i> ; Processes and Threads in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> ; Programming Overview in the <i>QNX Neutrino Programmer's Guide</i> .
Time	Configuring Your Environment in the <i>QNX Neutrino User's Guide</i> ; <i>Clock*</i> , <i>time()</i> , and related functions via their "See also" sections in the <i>QNX Neutrino Library Reference</i> .
Timestamps (for files)	<b>touch</b> in the <i>Utilities Reference</i> ; <i>utime()</i> and related functions via its "See also" section in the <i>QNX Neutrino Library Reference</i> .
Timers	<i>alarm()</i> , <i>Timer*</i> , and <i>timer_*</i> in the <i>QNX Neutrino Library Reference</i> ; Clocks, Timers, and Getting a Kick Every So Often in <i>Getting Started with QNX Neutrino: A Guide for Realtime Programmers</i> .
Transparent distributed processing	Using Qnet for Transparent Distributed Processing in the <i>QNX Neutrino User's Guide</i> ; Transparent Distributed Processing via Qnet in the <i>QNX Neutrino Programmer's Guide</i> ; <b>lsm-qnet.so</b> in the <i>Utilities Reference</i> ; <i>netmgr_*</i> in the <i>QNX Neutrino Library Reference</i> .
USB	Connecting Hardware in the <i>QNX Neutrino User's Guide</i> ; <b>devu-*</b> , <b>devh-usb.so</b> , <b>devi-hid</b> , and <b>io-usb</b> in the <i>Utilities Reference</i> ; <i>USB DDK</i> .
Unicode	<i>wc*()</i> (wide-character functions) in the <i>QNX Neutrino Library Reference</i> ; Unicode Multilingual Support in the <i>Photon Programmer's Guide</i> .
Version control	Managing Source Code in the <i>IDE User's Guide</i> ; Using CVS in the <i>QNX Neutrino User's Guide</i> ; <b>cvb</b> in the <i>Utilities Reference</i> ; <i>Version Control with Subversion</i> (O'Reilly & Associates).
Web server ( <b>slinger</b> )	Setting Up an Embedded Web Server in the <i>QNX Neutrino User's Guide</i> ; <b>slinger</b> in the <i>Utilities Reference</i> .

XIP (execute in place)

Building OS and Flash Images in the *IDE User's Guide*;  
Writing an IPL Program in *Building Embedded Systems*.

## Related reading

### On QNX Neutrino

- Krten, Robert. 2003. *The QNX Cookbook: Recipes for Programmers*. Ottawa, ON, Canada: PARSE Software Devices. ISBN 0-9682501-2-2.

For more information about this book, see <http://www.krten.com>.

### On POSIX

The latest POSIX standards documents are available online here:

<http://www.opengroup.org/onlinepubs/007904975/nframe.html>



For an up-to-date status of the many POSIX drafts/standards documents, see the PASC (Portable Applications Standards Committee of the IEEE Computer Society) report at <http://pasc.opengroup.org/standing/sd11.html>.

In addition to the POSIX standards themselves, you might find the following books useful:

- Butenhof, David R. 1997. *Programming with POSIX Threads*. Reading, MA: Addison-Wesley. ISBN 0-201-63392-2.
- Gallmeister, Bill O. 1995. *POSIX.4: Programming for the Real World*. Sebastopol, CA: O'Reilly & Associates. ISBN 1-56592-074-0.

### On TCP/IP

- Hunt, Craig. 2002. *TCP/IP Network Administration*. Sebastopol, CA: O'Reilly & Associates. ISBN 0-596-00297-1.
- Stevens, W. R., Fenner, B., Rudoff, A. 2003. *UNIX Network Programming, Volume 1: The Sockets Networking API*. Third edition. Reading, MA: Addison-Wesley Professional. ISBN 0-131-41155-1.
- Stevens, W. R. 1998. *UNIX Network Programming, Volume 2: Interprocess Communications*. Second edition. Upper Saddle River, NJ: Prentice Hall. ISBN 0-130-81081-9.
- ———. 1993. *TCP/IP Illustrated, Volume 1: The Protocols*. Reading, MA: Addison-Wesley. ISBN 0-201-63346-9.
- ———. 1995. *TCP/IP Illustrated, Volume 2: The Implementation*. Reading, MA: Addison-Wesley. ISBN 0-201-63354-X.



---

Some of the advanced API features mentioned in these TCP/IP books might not be supported.

---

## Getting quick help with the `use` command

Similar to the UNIX `man` command, Neutrino presents a simple usage message for each command-line utility. At the OS system prompt, type:

```
use utility_name
```

and you'll see a brief description as well as the command-line options for that utility.

## Hover help in the IDE

When working on your projects in the IDE's editor, whenever you hover your mouse pointer over a function name in a line of code, you'll see a popup text box containing that function's purpose and synopsis (provided that it's a documented Neutrino function).

For details, see the chapter on C/C++ development in the IDE *User's Guide*.

## Visit <http://www.qnx.com>

The QNX Software Systems website (<http://www.qnx.com>) offers help on using the QNX Software Development Platform through such facilities as:

- detailed lists of supported hardware
- Community area, which has many technical articles and other resources
- Licensing area, which gives details on product licensing
- Partners area, which includes lists of distributors and resellers around the world
- technical forums — members of the Neutrino user community at large as well as our own developers and staff frequent these forums daily
- and more

For general help with Eclipse, the open platform for our IDE, visit the Eclipse consortium website (<http://www.eclipse.org>). There you'll find valuable support in the form of newsgroups, mailing lists, articles, and more.

## Support plans

You can access a wide range of support resources, depending on the particular support plan that you purchase.

For more information about our technical support offerings, including email addresses and telephone numbers, please see the Support + Services section of our website (<http://www.qnx.com>).

For more information about setting up your myQNX account and registering your products and support plans, see *On-line Technical Support*. There's a printed copy in the QNX Software Development Platform box, and a PDF version on the DVD and on our website.

## Training

QNX training services offers many hands-on courses at your choice of location (QNX headquarters, various training centers around the world, or your site). For details, including the current training schedule, see the Training area in the Support + Services section of our website (<http://www.qnx.com>).

## Custom engineering and consulting

Depending on the nature of your particular project, you may choose to engage us to help in areas such as:

- custom BSPs
- device driver development
- hardware troubleshooting and integration
- application development
- migration/porting services

For more information, see contact your local sales representative.



## ***Glossary***

---



## **Aviage**

Product name for middleware developed by QNX Software Systems.

## **BSP**

Board Support Package — a set of software components (**IPL**, **startup code**, drivers, **buildfiles**, as well as the **QNX Neutrino RTOS**) and documentation intended to help you get Neutrino up and running on a particular board.

## **buildfile**

A “control” file that specifies the particular startup program, environment variables, drivers, host-target communications, etc. that will be used to generate an OS image. The file provides instructions to a utility program such as **mkifs**, which generates OS images. In the context of the **IDE**, the buildfile is sometimes called a **target file**.

## **Development License**

Development using QNX Software Systems products is governed by the terms of the applicable developer license agreement to which you must agree to install the software product. For more information, see the Licensing area of our website, <http://www.qnx.com/>.

## **Distribution License**

Distribution of QNX Software Systems products is governed by the terms of the QNX Runtime License Agreement or the QNX OEM License Agreement. For more information, see the Licensing area of our website, <http://www.qnx.com/>.

## **DDK**

Driver Development Kit — a set of source code and documentation intended to help you write your own drivers for various devices: audio, graphics, input (mice, keyboards, etc.), network, and USB.

## **Eclipse**

Name of a tools project and platform developed by an open consortium of vendors (Eclipse.org), including QNX Software Systems.

The IDE within the QNX Momentics Tool Suite consists of a set of special plugins integrated into the standard Eclipse framework.

## **EULA**

End User License Agreement.

## **IDE**

Integrated Development Environment — in QNX Momentics, the IDE is based on the Eclipse framework, and includes many highly integrated tools for code development and system analysis.

IDE also stands for Integrated Drive Electronics, a standard interface used between a computer's bus and disk storage devices.

## **IPL**

Initial Program Loader — the software component responsible for setting up the machine into a usable state, such that the **startup code** can then perform further initializations.

## **Momentics**

Product name for the tool suite created by QNX Software Systems for its Neutrino RTOS.

## **Neutrino**

Product name of the RTOS created by QNX Software Systems.

## **OCL**

Open Community License.

## **QCL**

QNX Community License.

## **QNX**

Name of an earlier-generation RTOS created by QNX Software Systems. Also, short form of the company's name.

## **QoS**

Quality of Service — a policy (e.g. **loadbalance**) used to connect nodes in a network in order to ensure highly dependable transmission. QoS is an issue that often arises in high-availability (**HA**) networks as well as realtime control systems.

## **QSS**

QNX Software Systems.

## **RTOS**

Realtime operating system.

## **Runtime License**

See the Licensing area of our website, <http://www.qnx.com/>.

## **startup code**

The software component that gains control after the IPL code has performed the minimum necessary amount of initialization. After gathering information about the system, the startup code transfers control to the OS.

## A

account center (myQNX) 13  
Acoustic Processing 4  
Advanced Graphics 4  
AMP (asymmetric multiprocessing) 25  
architecture, system 19  
audio 25

## B

BMP (bound multiprocessing) 25  
BSPs (Board Support Packages) 4, 5, 12, 21  
buildfiles 12, 25  
*Building Custom Widgets* 20  
*Building Embedded Systems* 20  
Butenhof, David R. 31

## C

C functions 20, 21  
C++ 21  
CD-ROMs 25  
channels 25  
Chinese characters 21  
CIFS (Common Interface File System) 14  
coexistence of multiple versions of QNX  
    Momentics 14  
Collins-Sussman, Ben 13  
command-line utilities 12, 24  
    documentation 20  
    usage messages for 32

compiling 25  
compression 25  
configuration files 11  
    documentation 20  
conventions  
    typographical x  
custom engineering 33  
CVS (Concurrent Versions System) 13

## D

data servers 25  
data types 20  
DDKs (Driver Development Kits) 4, 12, 21  
debugger 26  
desktop 12  
device drivers 12, 26  
Dinkum 21  
distributed processing 14, 30  
distributors 32  
documentation  
    HTML 19  
    knowing which to read first 23  
    overview of 19  
    PDF 19  
    printed 19  
    roadmap 19  
    third-party 31  
    via the Photon Helpviewer 23  
    which to read for key features of the OS 25  
    within the IDE 22  
DOS filesystems 14  
Driver Development Kits (DDKs) 4, 12, 21

**E**

Eclipse consortium 32  
 editors 26  
 embedded systems 26  
 End User License Agreement (EULA) 6  
 endianness 26  
 environment variables 26  
     **MAKEFLAGS** 11  
     **QNX\_CONFIGURATION** 11  
     **QNX\_HOST** 9  
     **QNX\_TARGET** 11  
 environment, configuring 26  
 evaluation copy, upgrading 13  
 event handling 26  
 execute in place (XIP) 31

**F**

Fenner, B. 31  
 files  
     configuration 11, 20  
     handling 26  
     timestamps 30  
 filesystems 12, 26  
     mounting DOS and Linux 14  
 Fitzpatrick, Brian W. 13  
 fonts 26  
 forums 32  
 functions, C 20

**G**

Gallmeister, Bill O. 31  
*Getting Started with QNX Neutrino* 20  
 graphics 27  
 GUI 12, *See also* Photon  
     developing 20

**H**

hardware

    connecting 27  
     supported 32  
 header files 12  
 help  
     via the Photon Helpviewer 23  
     within the IDE 22  
 Helpviewer (Photon) 23, 27  
 HID (human input devices) 27  
 hosts  
     choice of 3  
     development on ix  
     host-related components 9  
     supported 9  
 hover help 32  
 how-to guides 24  
 Hunt, Craig 31

**I**

I/O management 27  
 IDE (Integrated Development Environment) 3  
     Help system 22  
     starting 12  
     *User's Guide* 19  
     workspace directory 12  
 images (graphical) 27  
 images (OS) 27  
 index in online documentation 23  
 installation, general information about 9  
 InstallShield 9  
 instrumented kernel 21, 27  
 international characters 21, 30  
 interrupt handling 27  
**io-pkt\*** 28  
 IPC (interprocess communication) 27  
 IPL (initial program loader) 27

**J**

Japanese characters 21

**K**

kernel  
   calls 27  
   instrumented 21, 27  
 keyboards 27  
 Korean characters 21  
 Krten, Robert 20, 31

**L**

libraries 3, 12, 28  
*Library Reference*  
   Photon 20  
   QNX Neutrino 20  
 licenses 6, 11  
 linker 28  
 Linux 9  
   filesystems 14

**M**

**Makefile** structure 28  
**MAKEFLAGS** 11  
**man** command 32  
 memory management 28  
 menus 12  
 message passing 28  
 message queues 28  
**mkifs** 3  
 multicore systems 28  
 multilingual input 21  
 Multimedia 4  
 myQNX account center 13

**N**

network drivers 28  
 networking, transparent (native) 14, 30  
 NFS (Network File System) 14

**O**

*On-line Technical Support* 13, 33

**P**

pathname delimiter in QNX documentation xi  
 PDF documents 19  
 permissions 28  
 Phindows 21  
 Photon  
   *Building Custom Widgets* 20  
   Helpviewer 23  
   *Library Reference* 20  
   multilingual input 21  
   *Programmer's Guide* 20  
   *Widget Reference* 20  
   Windows, accessing from 21  
 Pilato, C. Michael 13  
 platform-specific issues 5  
 POSIX  
   documents available online 31  
   link to site for up-to-date status 31  
*POSIX.4: Programming for the Real World* 31  
 printed books 19  
 process manager 28  
 processes 28  
 professional services 33  
 profiler 28  
*Programmer's Guide*  
   Photon 20  
   QNX Neutrino 20  
*Programming with POSIX Threads* 31  
 pulses 29

**Q**

**qcc** 3  
**qconfig** 14  
**qconn** 30  
 Qnet 14, 30  
**QNX\_CONFIGURATION** 11  
**QNX\_HOST** 9

**QNX\_TARGET** 11*QNX Cookbook: Recipes for Programmers* 31

## QNX Momentics

- about ix
- coexistence of multiple versions 14
- End User License Agreement (EULA) 6
- features of 3
- parts of 3
- system requirements 9

## QNX Neutrino

- Building Embedded Systems* 20
- getting started with 19
- Library Reference* 20
- Programmer's Guide* 20
- self-hosted 14
- System Architecture* 19
- Technical Notes* 20
- User's Guide* 19, 24
- Utilities Reference* 20

## QNX Software Development Platform

- evaluation copy, upgrading 13
- upgrading 13

QNX Software Systems website 32

QoS (Quality of Service) 29

*Quickstart Guide: 10 Steps to Your First QNX**Program* 19**QWinCfg** 14**R**

RAM disk 29

realtime scheduling 29

reference books 24

resellers 32

resource management 29

Rudoff, A. 31

## runtime

- directory structure 12
- documentation 24
- kit 6
- license 6

**S**

scheduling 29

self-hosted development 14, 29

documentation 22

signal handling 29

**slinger** 30

SMP (symmetric multiprocessing) 29

## software

- developing 20
- managing 13, 30
- updates 13

source code 3

startup programs 29

Stevens, W. R. 31

support plans 32

synchronization 29

## system

- administration 24
- header files 12
- information 30
- requirements 9

System Analysis Toolkit 21

*System Architecture* 19**T**

## targets

- agent (**qconn**) 30
- developing for 3, 14, 20
- running on ix, 4
- target-related components 9

TCP/IP 14

*TCP/IP Illustrated, Volume 1: The Protocols* 31*TCP/IP Illustrated, Volume 2: The Implementation* 31*TCP/IP Network Administration* 31*Technical Notes* 20

technical support 32

public forums 32

Technology Development Kits (TDKs) *See*  
QNX Aviage middleware

threads 30

time 30

timers 30  
 timestamps 30  
 tools 3  
 training 33  
 transparent distributed processing 14, 30  
 tutorials 19  
 typographical conventions x

## U

Unicode 30  
*UNIX Network Programming, Volume 1: The Sockets Networking API* 31  
*UNIX Network Programming, Volume 2: Interprocess Communications* 31  
 USB (Universal Serial Bus) 30  
**use** command 32  
*User's Guide*  
   IDE 19  
   QNX Neutrino 19, 24  
 utilities 12, 24  
*Utilities Reference* 20

## V

version control 30  
*Version Control with Subversion* 13  
 Virtio 5  
 virtual machine 4  
 Virtual PC 4  
 VMware 4

## W

web server (**slinger**) 30  
 websites  
   Eclipse consortium 32  
   QNX Software Systems 32  
*Widget Reference* 20  
 Windows 9  
   accessing Photon from 21

workspace directory 12  
 Workstation 4

## X

x86 Runtime Kit 6  
 XIP (execute in place) 31